# Metrics and Measurement

17-313 Spring 2024

Foundations of Software Engineering

https://cmu-313.github.io

Michael Hilton and Eduardo Feo Flushing



#### Administrivia

- Project 1(b) due on Thursday (Jan 25<sup>th</sup>) at midnight
- Slack:
  - Great usage so far!
  - Lots of great help for each other on #technicalsupport, keep up the good work!
  - Check the #technical-questions channel; chances are your questions have been asked by others!
- Reading for Thursday:
  - Posted on the course website
  - Reading Quiz due before the lecture (check Canvas)
  - Optional: "Flight/Risk" on Amazon Prime, "Downfall: the case against Boeing" on Netflix

# **Smoking Section**

Last full row



## Today's Learning Goals

- Explain the importance of measurement and metrics in Software Engineering
- Provide examples of metrics for software qualities and process
- Apply goal-based frameworks for decision making using metrics
- Identify the limitations and dangers of decisions and incentives based on measurements



## Measurement in everyday life

- Economics
  - price, inflation rate, stock price, volume
- Medicine
  - heart rate, blood pressure, body temperature, ECG
- Engineering
  - Force, torque, heat transfer coefficient, thermal efficiency

Jun 29, 2006

- Natural sciences
  - AQI, carbon footprint, Soil pH

Ants use pedometers to find home

An experiment that involves attaching stilts to ants' legs reveals that the insects somehow keep a record of how many steps they take.









# "To measure is to know; if you can not measure it, you can not improve it"

William Thomson, Lord Kelvin

$$K = \left(\frac{5}{9}(F - 32)\right) + 273.15$$



# Software Development... before Software Engineering



by DALL-E

# Software Engineering





# Software Engineering: Principles, What does this mean? Chnical and

☐ *Measurement* and metrics are **key** concerns.

How do we know?

cal) for confidently h-quality software.





#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives



#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives



# Measurement and Metrics

in Software Engineering



#### What is Measurement?

- Measurement is the empirical, objective assignment of numbers, according to a rule derived from a model or theory, to attributes of objects or events with the intent of describing them. – Craner, Bond, "Software Engineering Metrics: What Do They Measure and How Do We Know?"
- A quantitatively expressed reduction of uncertainty based on one or more observations. Hubbard, "How to Measure Anything ..."



## Software Quality Metrics

• IEEE 1061 definition: "A software quality metric is a function whose inputs are software data and whose output is a single numerical value that can be interpreted as the degree to which the software possesses a given attribute that affects its quality."

#### **Entity**

Object or Process

#### **Attribute**

Quality of Interest

#### Measurement

Method to obtain a number or a symbol



# What entities to we care about? (examples)

- Software product
- Modules
- Software development process
- People



# What software qualities do we care about? (examples)

- Functionality (e.g., data integrity)
- Scalability
- Security
- Extensibility
- Bugginess
- Documentation
- Performance

- Installability
- Availability
- Consistency
- Portability
- Regulatory compliance



# What process qualities do we care about? (examples)

- Development efficiency
- Meeting efficiency
- Conformance to processes
- Reliability of predictions
- Fairness in decision making
- Regulatory compliance
- On-time release



# What people qualities do we care about? (examples)

- Developers
  - Maintainability
  - Performance
  - Employee satisfaction and well-being
  - Communication and collaboration
  - Efficiency and flow
  - Satisfaction with engineering system
  - Regulatory compliance
- Customers
  - Satisfaction
  - Ease of use
  - Feature usage
  - Regulatory compliance



## Non-trivial qualities


- Software
  - Code elegance
  - Code maintainability
- Process
  - Fairness in decision making
- Team
  - Team collaboration
  - Creativity



#### Make it measurable

"Measure what is measurable, and make measurable what is not so."

Galileo Galilei





# Everything is measurable

- If X is something we care about, then X, by definition, must be detectable.
  - How could we care about things like "quality," "risk," "security," or "public image" if these things were totally undetectable, directly or indirectly?
  - If we have reason to care about some unknown quantity, it is because we think it corresponds to desirable or undesirable results in some way.
- If X is detectable, then it must be detectable in some amount.
  - If you can observe a thing at all, you can observe more of it or less of it
- If we can observe it in some amount, then it must be measurable.

Douglas Hubbard, How to Measure Anything, 2010



# Examples: Code Complexity



#### Lines of Code

Easy to measure

> wc –l file1 file2…

	THEZ
LOC	projects
450	Expression Evaluator
2,000	Sudoku
100,000	Apache Maven
500,000	Git
3,000,000	MySQL
15,000,000	gcc
50,000.000	Windows 10
2,000,000,000	Google (MonoRepo)



# Normalizing Lines of Code

- Ignore comments and empty lines
- Ignore lines < 2 characters</li>
- Pretty print source code first
- Count statements (logical lines of code)
- See also: cloc

```
for (i = 0; i < 100; i += 1) printf("hello"); /* How many lines of code is this? */
```

# Normalization by Language

Language	Statement factor (productivity)	Line factor
С	1	1
C++	2.5	1
Fortran	2	0.8
Java	2.5	1.5
Perl	6	6
Smalltalk	6	6.25
Python	6	6.5

Source: "Code Complete: A Practical Handbook of Software Construction", S. McConnell, Microsoft Press (2004) and <a href="http://www.codinghorror.com/blog/2005/08/are-all-programming-languages-the-same.html">http://www.codinghorror.com/blog/2005/08/are-all-programming-languages-the-same.html</a> u.a.



#### Halstead Volume

- Introduced by Maurice Howard Halstead in 1977
- Halstead Volume = number of operators/operands \* log<sub>2</sub>(number of distinct operators/operands)
- Approximates size of elements and vocabulary



# **Cyclomatic Complexity**

- Proposed by McCabe 1976
- Based on control flow graph, measures linearly independent paths through a program
  - ~= number of decisions
  - Number of test cases needed to achieve branch coverage

```
M = edges of CFG – nodes of CFG + 2*connected components
```

"For each module, either limit cyclomatic complexity to [X] or provide a written explanation of why the limit was exceeded."

– NIST Structured Testing methodology

```
if (c1) {
          f1();
} else {
          f2();
}
if (c2) {
          f3();
} else {
          f4();
}
```

## Object-Oriented Metrics

- Number of Methods per Class
- Depth of Inheritance Tree
- Number of Child Classes
- Coupling between Object Classes
- Calls to Methods in Unrelated Classes

• ...



#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives



# How to use metrics and measurements?




#### Goal-based frameworks

"Every measurement action must be motivated by a particular goal or need that is clearly defined and easily understandable."

Software Metrics: A Rigorous and Practical Approach. N.Fenton, J.Bieman

Measurement must be defined in a top-down fashion.





### The GQM framework

**Goal**: What do you want to achieve?

**Questions:** What do you need to answer to know whether your goal is met?

**Metrics:** What measurements do you need in order to answer each question?

#### THE GOAL QUESTION METRIC APPROACH

Victor R. Basili<sup>1</sup> Gianluigi Caldiera<sup>1</sup> H. Dieter Rombach<sup>2</sup>

(1) Institute for Advanced Computer Studies Department of Computer Science University Of Maryland College Park, Maryland

> (²) FB Informatik Universität Kaiserslautern Kaiserslautern, Germany



## GQM: Defining Goals

- **P:** Purpose (improve, evaluate, monitor, ...)
- **I: Issue** (reliability, usability, effectiveness, ...)
- **O: Object** (final product, component, process, activity)
- V: Viewpoint (any stakeholder)



#### **Goal:**

**Evaluate** the **effectiveness** of the **organization's coding standard** from the **team'**s perspective

#### **Questions:**

How comprehensible are the coding standards?

What is the impact of coding standards on the efficiency and productivity of the team?

#### **Metrics:**

Survey results measuring team members' understanding Number of revisions required to achieve standard compliance Code size: LOC, number of classes, number of functions




## Measurement for Decision Making

- Fund project?
- More testing?
- Fast enough? Secure enough?
- Code quality sufficient?
- Which feature to focus on?
- Developer bonus?
- Time and cost estimation? Predictions reliable?



# Trend analyses






## Benchmarking against standards

Monitor many projects or many modules, get typical values

for metrics

Report deviations



#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives



# Case study: Autonomous Vehicles



#### AV Software is





# By what metrics can we judge AV software (e.g., safety)?






#### (1) Code coverage

- Amount of code executed during testing.
- Statement coverage, line coverage, branch coverage, etc.
- E.g., 75% branch coverage □
   3/4 if-else outcomes have been executed

```
1698 : const TrajectoryPoint& StGraphData::init point() const { return init point ;
               2264 : const SpeedLimit& StGraphData::speed_limit() const { return speed_limit_; }
             212736 : double StGraphData::cruise speed() const {
                       return cruise speed > 0.0 ? cruise speed : FLAGS default cruise speed;
                1698 : double StGraphData::path_length() const { return path_data_length_; }
                1698 : double StGraphData::total time by conf() const { return total time by conf ; }
                1698 : planning internal::STGraphDebug* StGraphData::mutable st graph debug()
                1698 : return st graph debug ;
                566 : bool StGraphData::SetSTDrivableBoundary(
                           const std::vector<std::tuple<double, double, double>>& s boundary,
                          const std::vector<std::tuple<double, double, double>>& v obs info) {
                        if (s boundary.size() != v obs info.size()) {
                          return false;
                        for (size t i = 0; i < s boundary.size(); ++i) {
                          auto st bound instance = st drivable boundary .add st boundary();
                          st bound instance->set t(std::get<0>(s boundary[i]));
                          st bound instance->set s lower(std::get<1>(s boundary[i]));
                          st_bound_instance->set_s_upper(std::get<2>(s_boundary[i]));
[ - + ]:
                          if (std::get<1>(v obs info[i]) > -kObsSpeedIgnoreThreshold) {
                            st bound instance->set v obs lower(std::get<1>(v obs info[i]))
                           if (std::get<2>(v obs info[i]) < kObsSpeedIgnoreThreshold)
                            st bound instance->set v obs upper(std::get<2>(v obs info(i1)):
```

#### (2) Model Accuracy

- Train machine-learning models on labelled data (sensor data + ground truth).
- Compute accuracy on a separate labelled test set.
- E.g., 90% accuracy implies that object recognition is right for 90% of the test inputs.



Source: Peng et al. ESEC/FSE'20



#### (3) Failure Rate

- Frequency of crashes / fatalities
- Per 1,000 rides, per million miles, per month (in the news)

#### TRANSPO / WAYMO / TECH

#### Waymo's driverless cars were involved in two crashes and 18 'minor contact events' over 1 million miles



/ The Alphabet-owned company pulls back the curtain on more stats from its public road testing. Of the 20 incidents, only two met the federal government's reporting criteria, and no one was injured.


By Andrew J. Hawkins, transportation editor with 10+ years of experience who covers EVs, public transportation, and aviation. His work has appeared in The New York Daily News and City & State.

University

Feb 28, 2023, 8:00 PM GMT+3 | 1 Comment / 1 New



'Complete meltdown': Driverless cars in San Francisco stall causing a traffic jam







## (4) Mileage




#### **Driving to Safety**

How Many Miles of Driving Would It Take to Demonstrate Autonomous Vehicle Reliability?

Nidhi Kalra, Susan M. Paddock

Figure 3. Miles Needed to Demonstrate with 95% Confidence that the Autonomous Vehicle Failure Rate Is Lower than the Human Driver Failure Rate





Source: waymo.com/safety (September 2021)

### Participation Activity

- Apply the Goal-Question-Metric framework to explore various aspects of AV software
- Define one goal, two questions, and at least one metric per question
- Write it down on a piece of paper with your Andrew ID(s) on it.
- You can work in groups of 2-3.
- Share with the class!

- Software
  - Test coverage
  - Model accuracy
  - Size of codebase
  - Age of codebase
- Software Process
  - Time since the most recent change
  - Frequency of code releases
  - Number of emails sent during development
- Contributors
  - Number of contributors
  - Age of contributors
  - Employee satisfaction of contributors
- Documentation
  - Amount of code documentation
- Application
  - Customer satisfaction
  - Mileage
  - Crash/kill rate



#### Example

**Goal**: Ensure energy efficiency and sustainability from the point of view of the organization and environmental analysts

**Question 1:** What is the vehicle's energy consumption under different driving conditions?

**Metrics:** Kilowatt-hours per 100 kilometers under city, highway, and mixed driving conditions.

**Question 2:** How efficient is the battery management system?

**Metrics:** Battery life, number of charge cycles



#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives










Carnegie Mellon University

#### The streetlight effect




- A known observational bias.
- People tend to look for something only where it's easiest to do so.
  - If you drop your keys at night, you'll tend to look for it under streetlights.


# Bad statistics: What could possibly go wrong?






### Making inferences








- To infer causation:
  - Provide a theory (from domain knowledge, independent of data)
  - Show correlation
  - Demonstrate ability to predict new cases (replicate/validate)





### **Spurious Correlations**



53

#### Confounding variables





- If you look only at the coffee consumption → cancer relationship, you can get very misleading results
- Smoking is a confounder



### Coverage is not strongly correlated with test suite effectiveness



ICSE 2014: Proceedings of the 36th International Conference on Software Engineering • May 2014 • Pages 435–445 • https://doi.org/10.1145/2568225.2568271

"We found that there is a low to moderate correlation between coverage and effectiveness when the number of test cases in the suite is controlled for."

Most studies did not account for the confounding influence of test suite size

#### Measurement reliability

- Extent to which a measurement yields similar results when applied multiple times
- Goal is to reduce uncertainty, increase consistency
- Example: Performance
  - Time, memory usage
  - Cache misses, I/O operations, instruction execution count, etc.
- Law of large numbers
  - Taking multiple measurements to reduce error
  - Trade-off with cost

#### #1 NATIONAL BESTSELLER

"Unsparing...a clear, concise and extremely interesting look at a crucial period of U.S. decision making. It deserves to be widely read." —Wall Street Journal

### RETROSPECT



THE TRACEDY AND LESSONS OF VIETNAM

## ROBERT S. McNamara

WITH BRIAN VANDEMARK






#### McNamara fallacy

- Measure whatever can be easily measured.
- Disregard that which cannot be measured easily.
- Presume that which cannot be measured easily is not important.
- Presume that which cannot be measured easily does not exist.



https://chronotopeblog.com/2015/04/04/the-mcnamara-fallacy-and-the-problem-with-numbers-in-education/

## Survivorship bias



#### Outline

- Measurements and Metrics
- How to use measurements and metrics?
- Case study: Autonomous Vehicle Software
- Risks and challenges
- Metrics and incentives



## Goodhart's law: "When a measure becomes a target, it ceases to be a good measure."







http://dilbert.com/strips/comic/1995-11-13/

#### The Price of Wells Fargo's Fake Account Scandal Grows by \$3 Billion

The bank reached a settlement with federal prosecutors and the Securities and Exchange Commission after abusing customers.





Wells Fargo used fraud to open up fake accounts and force customers into services

#### Incentivizing Productivity

- What happens when developer bonuses are based on
  - Lines of code per day?
  - Amount of documentation written?
  - Low number of reported bugs in their code?
  - Low number of open bugs in their code?
  - High number of fixed bugs?
  - Accuracy of time estimates?

#### What you need to know



Metrics are important in Software Engineering



Apply goal-oriented approaches to software metrics



Provide examples of metrics for software qualities and process



Understand limitations and dangers of decisions and incentives based on measurements

#### Questions to consider (Projects)

- What properties do we care about and how do we measure them?
- What is being measured? Does it (to what degree) capture the thing you care about? What are its limitations?
- How should it be incorporated into process?
- What are potentially negative side effects or incentives?

