

Software Teams and Communication

17-313: Foundations of Software Engineering

<https://cmu-313.github.io>

Josh Sunshine and **Michael Hilton**

Fall 2026

Gentle Reminder

- Please close laptops
- Tablets with stylus ok



Administrivia

- Problem set posted tonight or tomorrow morning
- Quiz on TypeScript Sept 15th
- Project 2 posted on website
 - A) [Team Process & Planning](#) – 70 points – due Monday, September 14th, 11:59pm
 - B) [First Sprint](#) – 95 points – due Monday, September 28th, 11:59pm
 - C) [Second Sprint](#) – 110 points – due Friday, October 9th, 11:59pm

Learning with AI is Like

...

17-313: Foundations of Software Engineering

<https://cmu-313.github.io>

Michael Hilton and Joshua Sunshine

Fall 2026

**Learning SE
with AI is
like Getting
Strong by
Using a
Forklift at
the Gym**



Learning SE with AI is Like Doordashing to your Cooking Class

- *Anonymous*




Learning SE with AI is like Getting a NASA Engineer to do Your Science Homework

- *Anonymous*




Learning SE with AI is Like Learning to Play Basketball by Watching Lebron James Practice.



Learning SE with AI is like is Like Taking a Test with the Answer Key - *Anonymous*




Software engineers are now conductors of AI output. They need good engineering judgement to get good results.



Learning Goals

- Describe the pros and cons of working as a team
- Recognize the importance of communication in collaboration
- Recognize the need of having multiple communication channels
- Select an appropriate communication tool for a given communication goal
- Ask technical questions effectively
- Write clear and specific Github issues, pull requests, and comments

What you hope to learn...



We all work in a team

<https://www.productplan.com/glossary/bubble-sort/>

<https://www.amazon.com/Monopoly-Classical-Board-Game/dp/B00DOZ2IBM>

<https://www.forbes.com/sites/bernardmarr/2020/07/17/5-ways-self-driving-cars-could-make-our-world-and-our-lives-better/>


[https://dribbble.com/shots/12512417-Scooter-Rental-App/](https://dribbble.com/shots/12512417-Scooter-Rental-App)

<https://teedy.io/en/#1/>

Bubble Sort

First pass	6	2	8	4	10
Next pass	2	6	8	4	10
Next pass	2	6	4	8	10
	2	4	6	8	10

Review complete



Bubble Sort

Monopoly Game

Scooter App




NodeBB




Autonomous Vehicle

We all work in a team



We all work in a team



Working solo vs. as a team (human/AI?)



Participation Activity


- Three cases:
 - Solo
 - Team with humans
 - Team with AI
- For each case, come up with 1 benefit and 1 drawback

Working as a team

- Design & implement software
 - Establish a collaboration process
 - Meet with the team
 - Choose a leader
 - Divide work and integrate
 - Share knowledge
 - Resolve conflicts



Stages of Team Formation



Tuckman, B. W. (1965). Developmental sequence in small groups. *Psychological Bulletin*, 63, 384-399.

Norming

- When working with someone who is remote, how do you like to work together?
- How do you manage your time when you get busy with a lot of tasks?
- How do you feel about chatting by text message, audio call, video call?
 - Exchange phone numbers with your project partner(s) in case your Internet goes out and you still want to work on the project together.
- Negotiate when you can work on the project together outside of class.
- Have you had a positive prior teaming experience?
 - How often did your team meet?
 - Did your team have a leader? If yes, what did that leader do?
 - What was your role on the team?
 - How well did you get along with your teammates related to work, or related to non-work?

2A Team Process & Planning

11:59pm).

Projects

Project 1: Hello, opencode! >

Project 2: Collaborative Development >

2A Team Process & Planning

2B First Sprint

2C Second Sprint

Project 3: Continuous Integration + Deployment >

Project 4: Architecting an LLM Integration >

Project 5: Open Source Excursion >

Main Deliverables

Teamwork Contract (35 pts)

When working with a team, it is important to discuss each team member's background, and establish common expectations of the team. Miscommunication or the general lack of communication are often the most common causes of team conflict.

Team Conflict Example

A common conflict in working style is when there are team members who always want to get a headstart on their work, while there are team members who are fine with doing work a few days before the deadline. It causes panic in the former team members, while the latter team members feel frustrated as to why they are being rushed.

As such, your first process task of the semester will be creating a teamwork contract with your teammates. It is a **1 - 2 page** document containing information that all teammates agree to follow. You should work on the contract **with all members present**. We recommend that you keep it to around 1 page, 2 page is a **hard limit**.

Additionally, **it is more important that you only include statements that the team will adhere to** than it is to fulfill the length requirement (quality over quantity!) You do not need to write full sentences (bullet points are okay), but your decisions must be clearly conveyed in the document.

You are free to include anything that your team deems necessary, but you should minimally address the following sections:

- Expectations**

How much time is each team member expected to be putting into working on projects? Punctuality?

How would your team accommodate when unexpected commitments come up for a team member (e.g. interviews, sickness, competitions)?

Do accommodate for the fact that project load can get heavier towards the end of the semester.

On This Page

Deliverables

Team Setup

Slack Channel

GitHub Repository

Teamwork Self-Assessment

Main Deliverables

Teamwork Contract (35 pts)

Project Planning (35 pts)

Extra Credit (2 pts)

Grading

Ask Gemini

127.0.0.1:8000/assignments/P2/1_teamprocess/#teamwork-self-assessment

2A Team Process & Planning

Search

(11) *General Interference with Organizations and Production*

(a) Organizations and Conferences

(1) Insist on doing everything through "channels." Never permit short-cuts to be taken in order to expedite decisions.

(2) Make "speeches." Talk as frequently as possible and at great length. Illustrate your "points" by long anecdotes and accounts of personal experiences. Never hesitate to make a few appropriate "patriotic" comments.

(3) When possible, refer all matters to committees, for "further study and consideration." Attempt to make the committees as large as possible — never less than five.

(4) Bring up irrelevant issues as frequently as possible.

(5) Haggle over precise wordings of communications, minutes, resolutions.

(6) Refer back to matters decided upon at the last meeting and attempt to re-open the question of the advisability of that decision.

(7) Advocate "caution." Be "reasonable" and urge your fellow-conferers to be "reasonable" and avoid haste which might result in embarrassments or difficulties later on.

(8) Be worried about the propriety of a decision — raise the question of whether such action as is contemplated lies within the jurisdiction of the group or whether it might conflict with the policy of some higher echelon.

(b) Managers and Supervisors

(1) Demand written orders.

(2) "Misunderstand" orders. Ask endless questions or engage in long correspondence about such orders. Quibble over them when you can.

(3) Do everything possible to delay the delivery of orders. Even though parts of an order may be ready beforehand, don't deliver it until it is completely ready.

(4) Don't order new working materials until your current stocks have been virtually exhausted, so that the slightest delay in filling your order will mean a shutdown.

(5) Order high-quality materials which are hard to get. If you don't get them argue about it. Warn that inferior materials will mean inferior work.

(6) In making work assignments, always sign out the unimportant jobs first. See that the important jobs are assigned to inefficient workers or poor machines.

(7) Insist on perfect work in relatively unimportant products; send back for refinishing those which have the least flaw. Approve other defective parts whose flaws are not visible to the naked eye.

(8) Make mistakes in routing so that parts and materials will be sent to the wrong place in the plant.

(9) When training new workers, give incomplete or misleading instructions.

(10) To lower morale and with it, production, be pleasant to inefficient workers; give them undeserved promotions. Discriminate against efficient workers; complain unjustly about their work.

(11) Hold conferences when there is more critical work to be done.

(12) Multiply paper work in plausible ways. Start duplicate files.

(13) Multiply the procedures and clearances involved in issuing instructions, pay checks, and so on. See that three people have to approve everything where one would do.

(14) Apply all regulations to the last letter.

(c) Office Workers

(1) Make mistakes in quantities of material when you are copying orders. Confuse similar names. Use wrong addresses.

(2) Prolong correspondence with government bureaus.

(3) Misfile essential documents.

(4) In making carbon copies, make one too few, so that an extra copying job will have to be done.

(5) Tell important callers the boss is busy, or talking on another telephone.

(6) Hold up mail until the next collection.


(7) Spread disturbing rumors that sound like inside dope.

(d) Employees

(1) *Work slowly.* Think out ways to increase the number of movements necessary on your job: use a light hammer instead of a heavy one, try to make a small wrench do when a big one is necessary, use little force where considerable force is needed, and so on.


(2) Contrive as many interruptions to your work as you can: when changing the material on which you are working, as you would on a lathe or punch, take needless time to do it. If you are cutting, shaping or doing other measured work, measure dimensions twice as often as you need to. When you go to the lavatory, spend a longer time there than is necessary. Forget tools so that you will have to go back after them.

Establish a collaboration process



I HAVE A HARD TIME KEEPING TRACK OF WHICH CONTACTS USE WHICH CHAT SYSTEMS.

Select the right comm. tools



Copyright 2002-2005 Scott W. Ambler
Original Diagram Copyright 2002 Alistair Cockburn

Establish communication patterns

- Asana, Trello, Microsoft Projects, ...
- Github Wiki, Google Docs, Notion, ...
- Github Issues, Jira, ...
- Email, Slack, Facebook groups, ...
- Zoom, Microsoft Teams, Skype, Phone call, ...
- Face-to-face meetings

17-313 Communication channels

- Slack
- Regular meeting (Lectures, Recitations)
- Office Hours
- Canvas, Gradescope
- Webpage

Check out other projects

Communication

- Forums: Discuss implementations, research, etc. <https://discuss.pytorch.org>
- GitHub Issues: Bug reports, feature requests, install issues, RFCs, thoughts, etc.
- Slack: The [PyTorch Slack](#) hosts a primary audience of moderate to experienced PyTorch users and developers for general chat, online discussions, collaboration, etc. If you are a beginner looking for help, the primary medium is [PyTorch Forums](#). If you need a slack invite, please fill this form: <https://goo.gl/forms/PP1AGvNHpSaJP8to1>
- Newsletter: No-noise, a one-way email newsletter with important announcements about PyTorch. You can sign-up here: <https://eepurl.com/cbG0rv>
- Facebook Page: Important announcements about PyTorch. <https://www.facebook.com/pytorch>
- For brand guidelines, please visit our website at pytorch.org

Communication expectation

- Quality of service guarantee
 - How soon will you get back to your teammates?
 - Weekend? Evening?
- Emergency
 - Tag w/ 911
 - Notify everyone with @channel

Running a (good) meeting

How to run a meeting

- The Three Rules of Running a Meeting
 - Set the Agenda
 - Start on Time. End on Time.
 - End with Action Items (and share them - Github Issues, Meeting Notes, ...)


How to run a meeting

- Set and document clear responsibilities and expectations
- Make everyone contribute
 - Possible Roles: Coordinator, Scribe, Checker
 - Manage Personalities
 - Be Vulnerable

Assorted Advice

- Note takers have a lot of power to steer the meeting
 - Collaborative notes are even better!
- Different meeting types have different best practices
 - Decision-making meeting
 - Brainstorming meeting
 - One-on-one meeting
 - Working sessions
- PLEASE RECORD ATTENDANCE

WHY DO YOU WANT TO CALL A MEETING?



Async Communication via artifacts

Is this issue useful?

The screenshot shows a GitHub issue page for 'Image Slider #2'. At the top, there's a back arrow, the issue title, and buttons for 'Edit' and 'New Issue'. Below the title, it says 'calebsylvest' opened this issue just now · 0 comments, with an 'Open' status icon. The main content area shows a comment from 'calebsylvest' stating 'The image slider is broken'. Below this is a 'Write' comment box with a 'Preview' tab and a 'Comment' button. To the right, there's a sidebar with 'Labels' (a red 'bug' label), 'Milestone' (No milestone), 'Assignee' (calebsylvest), and 'Notifications' (Unsubscribe button). At the bottom, there's a '1 participant' section with a small profile picture and another 'Unsubscribe' button with the text 'You are receiving notifications because you were assigned.'

< Image Slider #2

Open calebsylvest opened this issue just now · 0 comments

calebsylvest commented just now

The image slider is broken

Write Preview Comments are parsed with [GitHub Flavored Markdown](#)

Leave a comment

Attach images by dragging & dropping, [selecting them](#), or pasting from the clipboard.

Close Comment

Labels

bug

Milestone

No milestone

Assignee

calebsylvest

Notifications

Unsubscribe

1 participant

Unsubscribe You are receiving notifications because you were assigned.

Writing useful Github issues

◀ Cropping of Image Slider Pics #3

Edit

New issue

Open

calebsylvest opened this issue just now · 0 comments



calebsylvest commented just now

<http://calebsylvest.com/>

The cropping of the images in the slideshow seem to be off. The text is not visible and partially hidden by content below. The Developer Tools show the full-size un-cropped image is being loaded, but obviously not displaying.

Browser: Google Chrome

OS: Mavericks

Hardware: MacBook Pro Retina



Labels

bug

Milestone

No milestone

Assignee

calebsylvest

Notifications

Unsubscribe


Writing useful Github issues

- Issue should include
 - Context: explain the conditions which led you to write the issue
 - Problem or idea: the context should lead to something
 - Previous attempts to solve
 - Solution or next step (if possible)
- Be specific!
 - Include environment settings, versions, error messages, code examples when necessary

Writing useful Github issues

- Check out guidelines
 - Google: <https://developers.google.com/issue-tracker/concepts/issues>
 - Rust: <https://rustc-dev-guide.rust-lang.org/contributing.html#bug-reports>
- Don't assume the solution
- One issue per issue
- Keep titles short and descriptive
- Format your messages

@Mention or assign appropriate people



The image shows a GitHub interface for creating a new issue. The main form has a title field containing "Update game to use new rendering engine". Below the title are tabs for "Write" and "Preview", and a rich text editor with various formatting icons. The body of the issue contains a paragraph and a list of tasks. To the right, a sidebar shows configuration options for the issue, with the "Assignees" section highlighted. The "Assignees" list shows "octocat" as the assigned person. Other sections in the sidebar include "Labels" (with "enhancement" and "space game" tags), "Projects" (set to "None yet"), "Milestone" (set to "beta release"), and "Linked pull requests" (set to "None yet").

Update game to use new rendering engine

Write Preview

H B I     @   

Now that we've decided on our new rendering engine (see #824), we need to update our collision logic to use the engine, build an engine prototype, and update the game logic.

- [] #740
- [] <https://github.com/octo-org/octo-repo/issues/1752>
- [] Update aliens and cannon game logic

Attach files by dragging & dropping, selecting or pasting them. 

 Styling with Markdown is supported

Submit new issue

Assignees 

 octocat


Labels 

enhancement  space game

Projects 

None yet

Milestone 



beta release



Linked pull requests

Successfully merging a pull request may close this issue.

None yet

Use labels

- Break the project down by areas of responsibility
- Mark non-triaged issues
- Isolate issues that await additional information from the reporter
- Example:
 - Bug / Duplicate / Documentation / Help Wanted / Invalid / Enhancement
 - status: wip, status: ready to implement, status: needs discussion



Don't forget to follow-up and close issues

- closes/resolves #issue_number

Commit changes

Duplicate completion items are no more

Closes #1, resolves #dup

! #1 Duplicate items in code completion

! #2 Duplicate items in code completion

! #13 Class completion list contains duplicates

- ☒ Commit directly to the `main` branch.
- ☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Pull requests

update stuff #13

 Open bunnymatic wants to merge 7 commits into `master` from `chore:fix-all-the-things` 

 Conversation 0

 Commits 7

 Checks 0

 Files changed 24



bunnymatic commented 3 minutes ago

Owner

+  ...

No description provided



bunnymatic added 7 commits 3 minutes ago

How to write good pull requests

```
## What?  
## Why?  
## How?  
## Testing?  
## Screenshots (optional)  
## Anything Else?
```

What?

I've added support for authentication to implement Key Result 2 of OKR1. It includes model, table, controller and test. For more background, see ticket

#JIRA-123.

Why?

These changes complete the user login and account creation experience. See #JIRA-123 for more information.

How?

This includes a migration, model and controller for user authentication. I'm using Devise to do the heavy lifting. I ran Devise migrations and those are included here.

Testing?

I've added coverage for testing all new methods. I used Faker for a few random user emails and names.

Screenshots (optional)

0

Anything Else?

Let's consider using a 3rd party authentication provider for this, to offload MFA and other considerations as they arise and as the privacy landscape evolves. AWS Cognito is a good option, so is Firebase. I'm happy to start researching this path. Let's also consider breaking this out into its own service. We can then re-use it or share the accounts with other apps in the future.


How to write good pull requests

- Remember that anyone (in the company) could be reading your PR
- Be explicit about what/when feedback you want
- @mention individuals that you specifically want to involve in the discussion, and mention why.
 - “/cc @jesseplusplus for clarification on this logic”


Keep your PRs small



Relationship between Pull Request Size and Review Time



Relationship between Pull Request Size and Review Time




Offer useful feedback

- If you disagree strongly, consider giving it a few minutes before responding; think before you react.
- Ask, don't tell. ("What do you think about trying...?" rather than "Don't do...")
- Explain your reasons why code should be changed. (Not in line with the style guide? A personal preference?)
- Be humble. ("I'm not sure, let's try...")
- Avoid hyperbole. ("NEVER do...")
- Be aware of negative bias with online communication.

Avoid Duplicates

- “Duplicate of” issue/pull request number



The screenshot shows a GitHub interface with two comments. The first comment is from 'octocat' (the GitHub mascot) and says 'We should update our README.md file to include new team members.' The second comment is from 'megbird' and says 'Duplicate of #4'. Below the second comment, there is a notification that 'megbird marked this as a duplicate of #4 4 minutes ago' with an 'Undo' button.

octocat commented 4 minutes ago

Owner + 😊 ✎

We should update our README.md file to include new team members.

megbird commented 4 minutes ago

Owner + 😊 ✎ ✕

Duplicate of [#4](#)

megbird marked this as a duplicate of [#4](#) 4 minutes ago

Undo

Be a nice person

Date Sat, 13 Jul 2013 15:40:24 -0700
Subject Re: [GIT pull] x86 updates for 3.11
From Linus Torvalds <>

 share

638

On Sat, Jul 13, 2013 at 4:21 AM, Thomas Gleixner <tglx@linutronix.de> wrote:

```
>  
> * Guarantee IDT page alignment
```

What the F*CK, guys?

This piece-of-shit commit is marked for stable, but you clearly never even test-compiled it, did you?

Because on x86-64 (the which is the only place where the patch matters), I don't see how you could have avoided this honking huge warning otherwise:

```
arch/x86/kernel/traps.c:74:1: warning: braces around scalar  
initializer [enabled by default]  
    gate_desc idt_table[NR_VECTORS] __page_aligned_data = { { { { 0, 0 } } }, };  
    ^
```

Using AI to write commit messages

- Stage your changes in the Source Control panel by clicking the + icon next to the files you want to include in the commit.
- Locate the commit message box at the top of the Source Control view.
- Select the sparkle icon (🌟) next to the input box. This will prompt the AI to analyze your staged changes and generate a commit message.
- Review the generated message and edit it as needed to ensure accuracy and clarity.
- Click "Commit" to finalize the commit with the AI-generated message.

Knowledge Sharing

No matter the format, documentation is important

Building on top of others' work in a community-like way can be an accelerator, both in open source and in companies. Documentation often signals if a repository is reliable to reuse code from, or if it's an active project to contribute to. What signs do developers look for?

In both open source projects and enterprises, developers see about

50%

productivity boost with easy-to-source documentation

What the data shows: At work, developers consider documentation trustworthy when it is up-to-date (e.g., looking at time-stamps) and has a high number of upvotes from others. Open source projects use READMEs, contribution guidelines, and GitHub Issues, to elevate the quality of any project, and to share information that makes them more attractive to new contributors. Enterprises can adopt the same best practices to achieve similar success.


In both environments, developers see about a 50% productivity boost when documentation is up-to-date, detailed, reliable, and comes in different formats (e.g. articles, videos, forums).

Using the data: Review the documentation your team consumes: When was the last time it was updated? Can everyone on your team improve the documentation? Check this frequently to stay on track.

Knowledge Type	Description (Excerpt)
Functionality and Behavior	Describes what the API does (or does not do) in terms of functionality or features. Describes what happens when the API is used (a field value is set, or a method is called).
Concepts	Explains the meaning of terms used to name or describe an API element, or describes design or domain concepts used or implemented by the API.
Directives	Specifies what users are allowed / not allowed to do with the API element. Directives are clear contracts.
Purpose and Rationale	Explains the purpose of providing an element or the rationale of a certain design decision. Typically, this is information that answers a "why" question: Why is this element provided by the API? Why is this designed this way? Why would we want to use this?
Quality Attributes and Internal Aspects	Describes quality attributes of the API, also known as non-functional requirements, for example, the performance implications. Also applies to information about the API's internal implementation that is only indirectly related to its observable behavior.
Control-Flow	Describes how the API (or the framework) manages the flow of control, for example by stating what events cause a certain callback to be triggered, or by listing the order in which API methods will be automatically called by the framework itself.
Structure	Describes the internal organization of a compound element (e.g. important classes, fields, or methods), information about type hierarchies, or how elements are related to each other.
Patterns	Describes how to accomplish specific outcomes with the API, for example, how to implement a certain scenario, how the behavior of an element can be customized, etc.
Code Examples	Provides code examples of how to use and combine elements to implement certain functionality or design outcomes.
Environment	Describes aspects related to the environment in which the API is used, but not the API directly, e.g., compatibility issues, differences between versions, or licensing information.
References	Includes any pointer to external documents, either in the form of hyperlinks, tagged "see also" reference, or mentions of other documents (such as standards or manuals).
Non-information	A section of documentation containing any complete sentence or self-contained fragment of text that provides only uninformative boilerplate text.

Know your audience

- Internal document for your team (e.g., meeting note)
- Documentation for project contributors
- Documentation for non-developer collaborators (e.g., UX researchers)
- Documentation for developer users
- Documentation for clients with no software knowledge
- User manual for end users



What is wrong with this question?

New To Coding. Can anyone assist me?

Asked 7 years, 1 month ago Modified 7 years, 1 month ago Viewed 47 times

▲ I am trying to make a word counter and I just cant seem to get it. Can anyone help?

-4




```
import re
print("Welcome To This Software Made By Aaron!")
word = raw_input("Enter Your Words: ")
Check = 0
Right = 0
Length = len(word)
while True:
    if Right == 1:
        if Length < Check:
            Check = Check + 1
            print(Check)
        if Length == Check:
            Right = 1
    print("Your Word Count Is " + Check)
```



Make it easy for people to help you

- I am trying to ____, so that I can ____.
I am running into ____.
I have looked at ____ and tried ____.
- + I'm using this tech stack: ____.
- + I'm getting this error/result: ____.
- + I think the problem could be ____.

Avoid Duplication



RESEARCH-ARTICLE



Mining duplicate questions in stack overflow

Authors: [Muhammad Ahasanuzzaman](#), [Muhammad Asaduzzaman](#), [Chanchal K. Roy](#), [Kevin A. Schneider](#)

[Authors Info & Claims](#)

Published: 04 November 2015

Studying the needed effort for identifying duplicate issues

[Mohamed Sami Rakha](#) , [Weiyi Shang](#) & [Ahmed E. Hassan](#)

[Empirical Software Engineering](#) **21**, 1960–1989 (2016) | [Cite this article](#)

748 Accesses | 19 Citations | 1 Altmetric | [Metrics](#)

Abstract


Many recent software engineering papers have examined duplicate issue reports. Thus far, duplicate reports have been considered a hindrance to developers and a drain on their resources. As a result, prior research in this area focuses on proposing automated approaches to accurately identify duplicate reports. However, there exists no studies that attempt to

Avoid Duplication - Slack

- Add quotation marks to search a specific phrase
 - “Connection refused errors” will find results containing the entire phrase
- Add from: in front of a display name to search for information shared by someone specific
 - P1 from:@Michael Hilton
- Add is:thread to search within threads
 - WSL is:thread
- Recap problem in caption to enable searching (if using screenshots)


Use threads

- Threads help us create organized discussions around specific messages without adding clutter to a channel.
- You can manage thread notifications.



Use channels properly

- **313-f26-announcements**
 - Class / homework announcements
- **general-questions**
 - Administrative / logistics questions
- **ohq**
 - Information about OH...
- **technical-support**
 - Technical issues (e.g., env setup, errors)

A screenshot of a Slack interface showing a list of channels. At the top is a dropdown arrow next to the word 'Channels'. Below it are four channels listed with a hash symbol: '# announcements', '# general', '# random', and '# technicalsupport'. At the bottom is a button with a plus sign and the text 'Add channels'.

▼ Channels

announcements

general

random

technicalsupport


+ Add channels

Archive and share the answers

- Avoid duplication!
- You're probably not the only one who's wondering.
- For 313, post your questions in public channels if possible.
 - Feel free to answer too!
- For your team, create a team wiki (e.g., Github project wiki) or shared google document.
- Please do not delete posts

Resolve Conflicts

Updated with New Approaches for Today's Communication Challenges
OVER 5 MILLION COPIES SOLD



Communication

Communication

Communication

You can't solve any problem
without communication!

Communication

Communication

Conflict Resolution

- Your goal: Find a solution to the problem and move forward.
 - As a smart person on "Ted Lasso" once said, "Fight forward, not back."
- Make sure that everybody works from the same set of facts.
- Establish ground rules for your team's discussion.
 - Talk about how the situation made you feel. Never presume anything about anyone else.
- Remain calm and rational. If you feel triggered or threatened, extract yourself from the situation, wait an hour to chill out, and then try again.
- If you reach an impasse, talk to your team leader.
- If your team remains in conflict, escalate to your mentor TA.
 - Your mentor TA *will not solve* your problem. They will help *you* to solve your own problems.

Documentation and Visibility

- Document as much about your teamwork process as possible
- If someone is not being a good teammate, please document that
- Make work visible to instructors
- We have made some changes to the course to address specific behaviors
 - Freeloading
 - AI Slop
- Please communicate with us! We want to help you

Team survey

RESEARCH-ARTICLE



Identifying Struggling Teams in Software Engineering Courses Through Weekly Surveys


Authors:  [Kai Presler-Marshall](#),  [Sarah Heckman](#),  [Kathryn T. Stolee](#) [Authors Info & Claims](#)

SIGCSE 2022: Proceedings of the 53rd ACM Technical Symposium on Computer Science Education V. 1 • February 2022

• Pages 126–132 • <https://doi.org/10.1145/3478431.3499367>

Generally Due Mondays

- We will assign every week we are working in class (i.e., not spring break)
- Please be honest, we will monitor at first, so this should be early warning, not last resort
- We do not immediately change grades because of results, but may cause us to investigate.
- Please report bad team behaviors



The screenshot shows a Google Forms interface for a survey titled "Teamwork Survey 2/6". The form is set to collect emails. It includes a "Form description" section, followed by an "Email" field with a red asterisk and a "Valid email" label. Below this is a "Full Name (first, last) *" field with a "Short answer text" label. The next section is "What is your group's Team Name?" with a "Short answer text" label. The final section is "This week I have" with a list of checkboxes: "Completed all of my assigned tasks", "Completed some of my assigned tasks", "Asked a teammate for help completing my tasks", "Helped a teammate complete a portion of their tasks", "Completed none of my assigned tasks", and "Other...". A vertical toolbar on the right side of the form contains icons for adding, deleting, and other form editing actions.

Teamwork Survey 2/6

B I U ↺ ↻

Form description

Email *

Valid email

This form is collecting emails. [Change settings](#)

Full Name (first, last) *

Short answer text

What is your group's Team Name?

Short answer text

This week I have

- ☐ Completed all of my assigned tasks
- ☐ Completed some of my assigned tasks
- ☐ Asked a teammate for help completing my tasks
- ☐ Helped a teammate complete a portion of their tasks
- ☐ Completed none of my assigned tasks
- ☐ Other...